

Harken Hydraulic Chrome Winches




BRIERLEY
HOSE AND HANDLING

Radial

Harken Radial Line winches have successfully balanced the need for a secure grip and line longevity with smooth, controlled easing while under load. Details sailors will appreciate: smaller winches that carry higher loads and stress-free seasonal maintenance.

Motors attach to central drive shaft and drive through winch gears for two-speed mechanical advantage.









Prod No.	Name	Speed	Base Ø (mm)	Base Ø (in)	Maximum line Ø (mm)	Maximum line Ø (in)
 70.2STHC	70 Hydraulic Self-Tailing Radial Winch — 2 Speed, Vertical	2	240	9 7/16	18	11/16
 70.3STHC	70 Hydraulic Self-Tailing Radial Winch — 3 Speed, Vertical	3	240	9 7/16	18	11/16
 46.2STHC	46 Hydraulic Self-Tailing Radial Winch — 2 Speed, Vertical	2	184	7 1/4	14	9/16
 50.2STHC	50 Hydraulic Self-Tailing Radial Winch — 2 Speed, Vertical	2	194	7 5/8	14	9/16
 60.2STHC	60 Hydraulic Self-Tailing Radial Winch — 2 Speed, Vertical	2	236	9 5/16	16	5/8
 60.3STHC	60 Hydraulic Self-Tailing Radial Winch — 3 Speed, Vertical	3	236	9 5/16	16	5/8
 80.2STHC	80 Hydraulic Self-Tailing Radial Winch — 2 Speed, Vertical	2	287	11 5/16	18	11/16
 80.3STHC	80 Hydraulic Self-Tailing Radial Winch — 3 Speed, Vertical	3	287	11 5/16	18	11/16

Radial All-Chrome

Harken Radial Line winches have successfully balanced the need for a secure grip and line longevity with smooth, controlled easing while under load. Details sailors will appreciate: smaller winches that carry higher loads and stress-free seasonal maintenance.

Motors attach to central drive shaft and drive through winch gears for two-speed mechanical advantage.









Prod No.	Name	Speed	Base Ø (mm)	Base Ø (in)	Maximum line Ø (mm)	Maximum line Ø (in)
 70.2STHCCC	70 Hydraulic Self-Tailing Radial Winch — 2 Speed, Vertical	2	240	9 7/16	18	11/16
 60.2STHCCC	60 Hydraulic Self-Tailing Radial Winch — 2 Speed, Vertical	2	236	9 5/16	16	5/8
 60.3STHCCC	60 Hydraulic Self-Tailing Radial Winch — 3 Speed, Vertical	3	236	9 5/16	16	5/8
 70.3STHCCC	70 Hydraulic Self-Tailing Radial Winch — 3 Speed, Vertical	3	240	9 7/16	18	11/16
 50.2STHCCC	50 Hydraulic Self-Tailing Radial Winch — 2 Speed, Vertical	2	194	7 5/8	14	9/16
 46.2STHCCC	46 Hydraulic Self-Tailing Radial Winch — 2 Speed, Vertical	2	184	7 1/4	14	9/16

Radial White

Harken Radial Line winches have successfully balanced the need for a secure grip and line longevity with smooth, controlled easing while under load. Details sailors will appreciate: smaller winches that carry higher loads and stress-free seasonal maintenance.

Motors attach to central drive shaft and drive through winch gears for two-speed mechanical advantage.



Prod No.	Name	Speed	Base Ø (mm)	Base Ø (in)	Maximum line Ø (mm)	Maximum line Ø (in)
 46.2STHCW	46 Hydraulic Self-Tailing Radial White Winch — 2 Speed, Vertical	2	184	7 1/4	14	9/16
 50.2STHCW	50 Hydraulic Self-Tailing Radial White Winch — 2 Speed, Vertical	2	194	7 5/8	14	9/16
 60.2STHCW	60 Hydraulic Self-Tailing Radial White Winch — 2 Speed, Vertical	2	236	9 5/16	16	5/8
 60.3STHCW	60 Hydraulic Self-Tailing Radial White Winch — 3 Speed, Vertical	3	236	9 5/16	16	5/8
 70.2STHCW	70 Hydraulic Self-Tailing Radial White Winch — 2 Speed, Vertical	2	240	9 7/16	18	11/16
 70.3STHCW	70 Hydraulic Self-Tailing Radial White Winch — 3 Speed, Vertical	3	240	9 7/16	18	11/16